
Supervisory method
Identify mode i and reconfigure
Identify Transition j and reconfigure
Identify Mode i+1 and reconfigure
Client configured for mode i
Client configured for Transition j
Client configured for mode i+1
Mode i
Transition j
Mode i+1

FIGURE 1


Plant
System
Subsystem
Tags
Zero or more occurences
One or more occurences

FIGURE 2


PROCESS VARIABLE
40
35
30
25
20
15
10
5
0
0
200
400
600
800
1000
1200
1400
Mode i
Transition j
Mode i+1
TIME

FIGURE 3


Plant
Plant History Data
Plant Hierarchy
Tags grouped into sections and subsections
Initialize global variables, import transmitter ranges & thresholds
Generate process trends, wavelet coefficients for each tag
Generate process trends for each tag in every lower-level group
Identify periods of constancy for each variable in each lower-level group using trend information
Identify modes for each lower-level group
Consolidate and characterize modes for each lower-level group
Consolidate and characterize transitions
Generate event list for each lower-level group
Generate event lookup table for higher-level groups
Generate Knowledge base
Knowledge Base

FIGURE 4


Plant
DCS
Online Sensor Data
Segregate tags into plant sections and subsections using plant hierarchy
Are variables within pre-specified bounds?
Knowledge Base
Subsection in transition
Subsection in mode
Identify transitions using wavelet-based feature comparison for key variables
Identify current mode based on variable values
Deduce events in Higher-level plant groups
Current event in plant systems and subsystems

FIGURE 5


Real-time sensor data
Normalization
Wavelet Decomposition
Knowledge Base
Approx 1
Approx 2
Approx 1
+
−
SQR
Detail 2
Approx 2
+
−
SQR
Σ
Δ_k

FIGURE 6


Task Grafcet for distillation column startup
"Ready for startup"
" Start the reboiler heat "
" Open reflux valve & full reflux "
" Start feed pump "
" Set reflux ratio "
"Open the bottoms valve "
"Column reached steady state mode "

FIGURE 7



LEGEND
MD- Matching-degree
SUBSCRIPT
S-shape
T-Time
M-magnitude
RT-Real time

FIGURE 8


Start
Get dictionary atom from synchronization method
Get the real-time atom from process data
Is MDS = 0?
Yes
Fault in sensor
No
Calculate MD_T and MD_M for each sensor
Degree-of-match = $f(MD_M, MD_T)$
LEGEND
MD-matching-degree
SUBSCRIPT
S-shape
T-Time
M-magnitude

FIGURE 9